


BRICK AND GROUT OUTSIDE FLUSH WITH EXTERIOR MANHOLE WALL.
(SEE NOTE 2)


GROUT ON EXTERIOR WALL SHALL BE COVERED WITH HEAT SHRINK WRAP THE FULL CIRCUMFERENCE OF THE MANHOLE
(SEE DETAIL TOHO-07.0)



SECTION VIEW

BRICK AND GROUT OUTSIDE FLUSH WITH EXTERIOR MANHOLE WALL.
(SEE NOTE 2)

GROUT ON EXTERIOR WALL SHALL BE COVERED WITH HEAT SHRINK WRAP THE FULL CIRCUMFERENCE OF THE MANHOLE
(SEE DETAIL TOHO-07.0)



PLAN VIEW

NOTES:

1. ALL GROUT FILL USED INSIDE A POLYMER MANHOLE SHALL BE POLYMER GROUT AS SPECIFIED BY THE MANHOLE PRECASTER.
2. ALL PORTLAND CEMENT, GROUT, OR CONCRETE FILL USED INSIDE A STANDARD PRECAST OR OUTSIDE OF A STANDARD OR POLYMER MANHOLE SHALL REQUIRE XYPEX ADMIX C-1000 RED, XYPEX XYCRYLIC ADMIX, OR APPROVED EQUAL.
3. WHERE ABANDONED CORE IS WITHIN 1' OF THE BOTTOM OF THE STRUCTURE, THE BENCH SHALL BE CONSTRUCTED TO COVER THE REPAIR.



EFFECTIVE DATE:	04/01/2025
BOARD APPROVED DATE:	01/22/2025
PREVIOUS VERSION:	2022
DRAWN BY:	MP
REVISED BY:	DT

MANHOLE PLUG

DRAWING NUMBER
08.1